

# INDEX MAPS.

**T. 34 N. R. 9 W. 2<sup>nd</sup> Mer.**

		5		5		5		5		5		4	
Meanders—24	7	6	22	5	19	4	16	3	13	2	10	1	4
		23		21		18		15		13		10	
	6	7	21	8	18	9	15	10	13	11	9	12	4
		23		21		18		15		12		9	
	6	18	21	17	17	16	14	15	12	14	9	13	3
		23		20		17		14		12		8	
	6	19	20	20	17	21	14	22	11	23	8	24	3
		22		20		17		14		11		8	
	6	30	19	29	16	28	14	27	11	26	7	25	3
		22		19		16		13		10		7	
	6	31	17	32	16	33	13	34	10	35	7	36	2
		2		2		1		1		1		1	

**T. 35 N. R. 9 W. 2<sup>nd</sup> Mer.**

	34		33		33		33		33		32	
35	6	56	5	51	4	47	3	43	2	39	1	32
	56		55		50		47		43		39	
35	7	55	8	50	9	46	10	43	11	39	12	32
	55		55		50		46		42		38	
35	18	54	17	49	16	46	15	42	14	38	13	31
	54		53		49		45		41		38	
35	19	53	20	49	21	45	22	41	23	37	24	31
	53		52		48		45		41		37	
34	30	52	29	48	28	44	27	40	26	37	25	30
	52		51		48		44		40		36	
34	31	51	32	47	33	44	34	40	35	36	36	30
	30		29		29		29		29		29	

(P The figures on the lines refer to the page.

Township 34 North Range 9 West 2<sup>nd</sup> Mer. Ind. <sup>1</sup>

South Boundary

(Bar, 5° 56' E.)

- West on South Side Section 36  
 10.00 To @ Stream 20 lks wide crs S. W.  
 210.00 Set gr. S. e. post from which  
     @ W. Oak 16 in. dia. bears N. 83 E. 88 lks. dist.  
     @ " Do 10 " " " N. 7 W. 19 " "  
 213.00 To @ Run 2 lks. wide crs S. W.  
 80.00 Set post cr. to S. e. 35 & 36 from which  
     @ Br. Oak 20 in. dia. bears N. 9 E. 30 lks. dist.  
     @ " Do 14 " " " N. 25 W. 127 " "  
 Land rolling & fast rate. Thruly Timbered with  
 W. & Br. Oak,

- West on South Side Sec. 35  
 19.00 To @ Stream 20 lks. wide crs S. E.  
 27.98 " @ W. Oak 12 in. dia  
 410.00 Set gr. S. e. post from which  
     @ W. Oak 12 in. dia. bears N. 11 W. 63 lks. dist.  
     @ Hickory 10 " " " N. 56 W. 102 " "  
 64.00 Enter marsh  
 80.00 Set post in marsh cr. to S. e. 34 & 35 from which  
     @ Br. Oak 12 in. dia. bears S. 89 E. 16.17 lks. dist.  
 N. other, land E. of marsh as before

- West on South Side Sec. 34  
 38.00 Leave Marsh & Enter dry prairie  
 40.00 Set gr. S. e. post from which  
     @ Br. Oak 7 in. dia. bears S. 11 1/2 W. 5.93 lks. dist.  
     @ " Do 12 " " " S. 7 W. 6.45 " "  
 80.00 Set post cr. to S. e. 33 & 34 where runs a mound  
 prairie gently rolling and fast rate

- West on South Side Sec. 33  
 37.00 To @ Small pond hole  
 40.00 gr. S. e. cr. in pond hole

34 N. & R. 9 W. 2<sup>nd</sup> Mer. Ind. Co.

43.00 Leave pond hole

80.00 Set post cor. to Sec. 32 & 33 where a mound  
Land rolling prairie soil good

West on South Side Sec. 32

28.00 Leave prairie & Enter Timber

40.00 Set gr. Sec. post from which

@ Br. Oak 8 in. dia. bears N. 83 E. 56 Mo. dist.

@ " Do 15 " " " N. 14 E. 4 " "

80.00 Set post cor. to Sec. 31 & 32 from which

@ Br. Oak 6 in. dia. bears N. 14 1/2 E. 44 Mo. dist.

& @ " Do 4 " " " N. 36 W. 69 " "

Land rolling & first rate Heavy Timber  
with Oak & Hickory

West on South Side Sec. 31

22.00 Enter Marsh

36.00 To @ Muddy Stream spread out in marsh

40.00 gr. Sec. cor. could not be established on  
account of water ice & mud

49.00 Leave Marsh & Enter dry prairie

73.00 Enter Wet prairie

78.15 To West Boundary 94 Mo North of Temporary  
post where set post & raised a mound for corner  
To Towns 33 & 34 N. R. 9 & 10 West;

Land rolling & 1<sup>st</sup> rate on both sides of  
Marsh, Timber on East side Oak & Hickory

Surveyed July 17<sup>th</sup>. 1834 by

Sylvester Lybby Deft. Sur.

### East Boundary

(Var. 6° 15' E.)

North on East Side Sec. 36

16.50 To @ Stream 15 Mo. wide cor. S. W.

40.00 Set gr. Sec. post from which

@ Br. Oak 4 in. dia. bears S. 88 1/2 W. 145 Mo. dist.

<sup>4</sup> T. 34 N. - R. 9 W. 2<sup>nd</sup> Sec. Indiana <sup>3</sup>

80.00 @ Br. Oak 7 in. dia. bears S. 20 W. 1.51 Mo. dist.  
 Set post en. to Sec. 25 & 36 from which  
 @ Y. Oak 6 in. dia. bears S. 47 E. 1.55 Mo. dist.  
 @ Br. Oak 14 " " " N. 5 E. 6.6, 6 " "  
 Land gently rolling Soil good Timber oak & Hickory

North on East Side Sec. 25

40.00 Set gr. Sec. post from which  
 @ Br. Oak 8 in. dia. bears N. 38 W. 6.1 Mo. dist.  
 @ Y. Oak 18 " " " S. 18 E. 18 " "  
 57.35 @ " Do 18 " "  
 80.00 Set post en. to Sec. 24 & 25 from which  
 @ W. Oak 30 in. dia. bears S. 3 W. 1.14 Mo. dist.  
 @ " Do 12 " " " N. 55 W. 26 " "  
 Land & C. much as before

North on East Side Sec. 24

26.02 To @ W. Oak 16 in. dia.  
 40.00 Set gr. Sec. post from which  
 @ W. Oak 16 in. dia. bears S. 8 W. 20 Mo. dist.  
 @ " Do 18 " " " N. 67 1/2 W. 59 " "  
 46.87 To @ " Do 16 " "  
 80.00 Set post en. to Sec. 13 & 24 from which  
 @ W. Oak 15 in. dia. bears S. 21 W. 61 Mo. dist.  
 @ " Do 32 " " " S. 79 W. 45 " "  
 Land rolling Soil good well timbered with oak

North on East Side Sec. 13

11.12 To @ W. Oak 15 in. dia.  
 40.00 Set gr. Sec. post from which  
 @ Hickory 4 in. dia. bears S. 47 W. 17 Mo. dist.  
 @ W. Oak 18 " " " N. 37 W. 62 " "  
 46.00 To @ Run 2 Mo. wide cr. N. W.  
 58.00 " @ Do 2 " " " N. W.  
 68.53 " @ W. Oak 32 in. dia.  
 77.00 " @ Run 2 Mo. wide cr. N. W.



# T. 34 N., R. 9 W. 2<sup>nd</sup> Mo., Indiana

80.00 Set post cor. to Sec. 12 + 13 from which  
 @ W. oak 10 in. dia. bears S. 77 W. 10 lbs. dist.  
 @ " Do 28 " " " N. 69 W. 51 " "  
 Leave H. Saw

North on East Side Sec. 12

5.50 To @ W. oak 12 in. dia.

25.64 " @ " Do 28 " "

29.00 Enter wet prairie

40.00 Set gr. Sec. post from which

@ Br. oak 6 in. dia. bears N. 40 E. 74 lbs. dist.

@ " Do 30 " " " N. 30 E. 198 " "

75.00 Leave wet prairie

80.00 Set post cor. to Sec. 1 + 12 from which

@ Br. oak 14 in. dia. bears N. 79 W. 88 lbs. dist.

@ " Do 4 " " " N. 6 E. 230 " "

South of prairie as before, prairie poor,

North on East Side Sec. 1

40.00 Set gr. Sec. post from which

@ Br. oak 3 in. dia. bears S. 50 W. 16 lbs. dist.

@ Hickory 4 " " " N. 38 1/2 W. 88 " "

53.00 Enter Marsh

61.00 Leave Do

80.00 Set Temporary post cor. to T. 34 + 35 N. R. 8 + 9 West.

Land rolling + 2<sup>nd</sup> rate Very thickly timbered  
 With oak + Hickory

Surveyed Feb'y 16<sup>th</sup> 1834 by

Sylvester Sibley Dep't. Sur.

North Boundary

(Mar. 6' 05' 8")

West on South Side Sec. 36, T. 35 N. R. 9 W.

34.00 Enter marsh. Several small ponds in it

40.00 Set gr. cor. in pond no post nor bearings

73.00 To West Side of Marsh + Enter dry prairie

T. 34 N. - R. 9 W. 2<sup>nd</sup> Sec. Indiana, 5

80.00 Set post cor. to Sec. 35 & 36 when raised mound  
Land level & 2<sup>nd</sup> rate. Part of marsh, any prairie  
good Timber on East half Oak,

---

West on South Side Sec. 35 T. 35 N. R. 9 W.

40.00 Set Dr. Sec. post when raise a mound,

80.00 Set post cor. to Sec. 34 & 35 when raise a mound,  
Land rolling & first rate prairie

---

West on South Side Sec. 34 T. 35 N. R. 9 W.

40.00 Set Dr. Sec. post when raise a mound,

80.00 Set post cor. to Sec. 33 & 34 when raise a mound  
Land Same,

---

West on South Side Sec. 33 T. 35 N. R. 9 W.

35.00 Enter marsh

40.00 Set gr. Sec. post in marsh, no mound or bearing,

63.00 Leave Marsh

77.00 Enter Do

80.00 Set post cor. to Sec. 32 & 33 from which  
p. 12 in. dia. bears N. 74 3/4 W. 5.06 lbs. dis.  
no other, Land rolling & 1<sup>st</sup> rate marsh except a

---

West on South Side Sec. 32 T. 35 N. R. 9 W.

1.00 Leave Marsh

12.00 Enter Do

23.00 Leave Do & Enter dry prairie

40.00 Set gr. Sec. post when when raise a mound

67.00 Enter Marsh

80.00 Set post cor. to Sec. 31 & 32 from which  
p. 12 in. dia. bears S. 5 W. 3.67 lbs. dis.  
p. 12 in. " " " S. 14 E. 3.84 " "  
Land & c. same, a few scattering oak

---

West on South Side Sec. 31 T. 35 N. R. 9 W.

18.00 Leave Marsh & Enter dry prairie

6 T. 34 N. R. 9 W. 2<sup>nd</sup> Mer. Indiana

40.00 Set Dr. S. e. post when raise a mound  
 78.76 Antense at West Boundary at post corner To  
 T. 34 + 35 N. R. 9 + 10 West, when raise a mound  
 Land S. e. much as before  
 Surveyed Feby 19<sup>th</sup> 1834 by  
 Sylvester Sibley, Dep<sup>t</sup>. Sur.

West Boundary (Mar. 6<sup>th</sup> 30' E)

North on East Side Sec. 36 T. 34 N. R. 10 W  
 19.00 Leave west & enter dry prairie  
 40.00 Set gr. S. e. post when raise a mound  
 58.00 To Arram 4<sup>th</sup> Mo, will do, S. E.  
 80.00 Set post cor. to S. e. 25 + 36 when raise a mound  
 Land rolling dry prairie first rate

North on East Side Sec. 25 T. 34 N. R. 10 W  
 40.00 Set Dr. S. e. post when raise a mound  
 80.00 Set post cor. to S. e. 24 + 25 when raise mound  
 Land first rate rolling prairie  
 Feby 16<sup>th</sup> 1834

North on East Side Sec. 24 T. 34 N. R. 10 W  
 40.00 Set gr. S. e. post when raise a mound  
 80.00 Set post cor. to S. e. 13 + 24 when raise mound  
 Land same

North on East Side Sec. 13 T. 34 N. R. 10 W  
 40.00 Set gr. S. e. post when raise a mound  
 76.00 Enter marsh  
 80.00 Set post cor. to S. e. 12 + 13 in marsh which is  
 no mound, land same

North on East Side Sec. 12 T. 34 N. R. 10 W  
 3.50 Leave marsh & enter dry prairie  
 40.00 Set Dr. S. e. post when raise a mound

*S. 34 N. R. 9 W. 2nd Mer. Indiana*

80.00 Set post cor. to Sec. 1 & 12 where raised mound  
Land same.

North on East Side Sec. 1 S. 34 N. R. 10 W

40.00 Set Dr. Sec. post where raised mound

80.00 Set Temporary post cor. to Towns 34 & 35 N. R. 10 & 9 W,  
Land same

Surveyed July 21, 1834 by  
Sylvester Sibley Dep. Sur.

*Subdivisions*

(Bear, 6° 15' E)

North Between Sections 35 & 36

23.56 To @ Br. oak 8 in. dia,

40.00 Set gr. Sec. post from which

@ W. oak 14 in. dia, bears N. 77 E. 26 lks. dist.

@ Y. oak 16 " " " S. 85 W. 27 " "

80.00 Set post cor. to Sec. 25, 26, 35 & 36 from which

@ Double W. oak 24 in. dia, bears S. 58 E. 63 lks. dist.

@ " Do 16 " " " N. 22 W. 66 " "

South Br. oak Barrens, 2<sup>nd</sup> rate soil N. 1/2 fine  
W. oak Timber. Soil 2<sup>nd</sup> rate. Interspersed with  
small Marshes

East on Random between Sec. 25 & 36

30.00 Enter prairie 1<sup>st</sup> rate gently rolling

79.80 Enter at East Boundary 2 lks. S. of post W. 1/2 oak  
opening good Timber 1/2 fine prairie

West on line between Sec. 25 & 36

39.90 Set gr. Sec. post where raised mound

79.80 Section corner,

North Between Sections 25 & 26

19.47 To @ W. oak 18 in. dia.

40.00 Set Dr. Sec. post from which

# *G. M. B. 9 W. 2<sup>nd</sup> Mer. Indiana*

6. Lks. @ Br. Oak 10 in. dia. bears S. 28 W. 85 lks. dist.

@ " Do 24 " " " N. 28 E. 4 " "

58.55 S. @ W. Oak 16 " "

80.00 Set post cor to Sec. 23, 24, 25 & 26 from which

@ Double W. Oak in. dia. bears N. 36 E. 37 lks. dist.

@ " Do " " " S. 52 E. 59 " "

Rough W. Oak & Hickory bearing, interspersed with  
marshes & @ rate soil

East on Random between Sec. 24 & 25

79.85 Intersect E. Boundary 26 lks North of post, broken  
W. Oak & Hickory bearing interspersed with marshes

West Correct line between Sec. 24 & 25

7.34 S. @ W. Oak 40 in. dia.

34.93 W. Sec. corner on Br. Oak 16 in. dia.

79.85 Section Corner.

North Between Sections 23 & 24

22.78 S. @ W. Oak 18 in. dia.

40.00 Set W. Sec. post from which

@ Hickory 10 in. dia. bears S. 11 W. 56 lks. dist.

@ W. Oak 14 " " " N. 36 E. 61 " "

49.92 S. @ S. Oak 20 " "

80.00 Set post cor to Sec. 13, 14, 23 & 24 from which

@ Br. Oak 12 in. dia. bears S. 71 E. 335 lks. dist.

@ W. Oak 10 " " " N. 56 W. 75 " "

W. Br & W. Oak Hickory & openings, interspersed  
with marshes @ rate

East on Random between Sec. 13 & 24

80.00 Intersect E. Boundary 3 lks. North of post W. 1/2 rough  
wet prairie & marshes E. 1/2 W. & W. Oak openings  
Broken some deep Rains

West Correct line between Sec. 13 & 24



# 9

T. 34 N. - R. 9 W. 2<sup>nd</sup> Sec. Indiana

10.78 To a W. Oak 10 in. dia,  
 40.00 Set Dr. Sec. post from which  
     p Hickory 6 in. dia, bears S. 67 E. 150 lks. dist,  
     no other,  
 80.00 Section corner, August 6<sup>th</sup> 1834

---

## North Between Sections 13 & 14

30.27 To a W. Oak 16 in. dia,  
 40.00 Set Dr. Sec. post from which  
     a Double W. Oak " " bears S. 34 E. 5 lks. dist,  
     p " Do 16 in. dia, " N. 50 W. 31 " "  
 52.66 a W. Oak 10 " "  
 80.00 Set post cor. to Sec. 11, 12, 13 & 14 from which  
     a W. Oak 18 in. dia, bears S. 65 E. 1.01 lks. dist  
     a " Do 20 " " " N. 54 W. 69 " "  
     W. & Y. Oak openings good Timber 2<sup>nd</sup> rate soil

---

## East on Railroad between Sec. 12 & 13

79.96 Intersect E. Boundary 24 lks. South of post  
 Rough Hickory, barrens poor soil broken, frequent  
 Mounds,

---

## West Corner line between Sec. 12 & 13

39.98 Set. Dr. Sec. post from which  
     a Double W. Oak " " N. 49 W. 48 lks. dist,  
     p " Do " " S. 25 E. 1.06 " "  
 79.96 Section corner

---

## North Between Sections 11 & 12

25.00 Enter marsh heavy crop of vegetation  
 40.00 Set Dr. Sec. post in E. side of marsh from which  
     a Br Oak 12 in. dia, bears S. 31 E. 2.29 lks. dist  
 53.00 Leave marsh & enter broken W. Oak barrens, very grubly  
 80.00 Set post cor. to Sec. 1, 2, 11 & 12 from which  
     a W. Oak 18 in. dia, bears S. 15 E. 2.84 lks. dist,  
     p " Do 10 " " " N. 89 E. 4.67 " "



# T. 34 N., R. 9 W. 2nd Mer. Indiana

East on Meadow between Sec, 1 & 2  
 79.93 Intersect E. Boundary 10th. N. of post, broken  
 Rough barrens, frequent marshes

West Corner line between Sec. 1 & 2  
 39.96 Set Br. Sec. post from which  
     @ W. Oak 18 in. dia bears S. 35 E. 35th. dist.  
     @ Hickory 8 " " " N. 80 W. 96 " "  
 79.93 Section corner,

North Between Sections 1 & 2  
 1.00 Enter Crawbury Marsh  
 40.00 Set Br. Sec. post in marsh no monument bearings  
 62.00 Leave Marsh & Enter prairie  
 79.35 Intersect N. Boundary of Township 5th. East of post,  
 When set post cor. to Sec. 1 & 2, Aug. 7, 1834,

North Between Sections 34 & 35  
 17.50 To p. Y. Oak 16 in. dia  
 32.00 Intersect Margin of Large Clear Lake where set  
 Br. Oak post 5 in square & 3ft 6 in. high as  
 Meander post & cor. to fractional Sec. 34 & 35  
 then ex. offset E. 12.00th. chain North <sup>line</sup> along E. margin  
 of lake 48.00, Intersect place of E & W. <sup>line</sup> between Sec.  
 26 & 35, 12.00th. E. of true line, when set post  
 cor. to fractional Sec. 26 & 35 from which  
     @ Red Oak 14 in. dia bears N. 31 E. 61th. dist.  
     @ W. Oak 18 " " " N. 66 E. 39 " "  
 Broken & Bluffs. Margin of Lake Sand & gravel  
 fine Timber,

East on Meadow Between Sec. 26 & 35 from Man-  
 -daring post. 12. Chain from true line,  
 67.90 Intersect N. & S. line 3th. North of post, W.  
 Oak openings interspersed with small marshes  
 2nd rate soil,

11

S. 34 N. — R. 9 W. 2<sup>nd</sup> Sec. Indiana

West Correct line between S. 26 & 35

39.98 Set Dr. Sec. post from which

    @ W. Oak 20 in. dia. bears S. 65 E. 59 Mo. dist.

    @ " Do 24 " " " S. 52 W. 46 " "

67.90 To Meandering post on E. Margin of Lake for Bearings at this Post - See line between Secs. 34 & 35

North Between Sections 26 & 27 from Meandering post run E. 24 Mo. thence North along East Margin of Lake 80.00

50.00 Intersect place of E & W. line between S. 23 & 26,

36.00 Mo. E. of true line when set Meandering post cor. to fractional S. 23 & 26 on high bluff from which

    @ Br. Oak 14 in. dia. bears S. 54 W. 42 Mo. dist.

    @ " Do 10 " " " N. 62 E. 40 " "

Br & W. Oak openings, fine timber poor soil,

West on Randon between S. 23 & 26 from Meandering post,

43.84 Intersect N. S. line North of post 5 Mo. fine W. Oak timber poor soil, Broken,

West Correct line between S. 23 & 26

39.92 Set Dr. Sec. post from which

    @ W. Oak 24 in. dia. bears N. 30 W. 16 Mo. dist.

    @ Hickory 12 " " " S. 67 W. 83 " "

43.84 To post on Margin of Lake, for Bearings see line between Secs. 26 & 27 -

North Between Sections 22 & 23 from post on E. Margin of Lake 4.00 Mo. E. thence N. 40.00 Mo. to head of Lake at North Extremity thence W. 40.00 Mo. to true line

40.00 between S. 22 & 23, when set post 40.00 Mo. in edge of Lake from which

    @ W. Oak 36 in. dia. bears N. 57 E. 54 Mo. dist.

    @ " Do 8 " " " N. 34 W. 35 " "

Thence North on true line.

46.55 To W. Oak 30 in. dia.

80.00 Set post cor. to S. 14, 15, & the cor. S. 22 & 23

# 34 N. - R. 9 W. 2nd Mer. Indiana

@ W. oak 12 in. dia. bears N. 40 E. 2.73 lbs. dia.<sup>t</sup>  
 @ Br. oak 20 " " " S. 65 E. 4.11 " "  
 2nd set Soil. Some good Timber

East on Random between Sec. 14 & 23  
 79.68 Antiseck N. & S. line 10 lbs. North of post, W. oak  
 openings. Antisepared with small Marshes.

West Corner line between Sec. 14 & 23  
 39.84 Set Qu. Sec. post from which  
 @ W. oak 18 in. dia. bears N. 27 E. 85 lbs. dia.<sup>t</sup>  
 @ Hickory 10 " " " S. 49 W. 2.20 " "  
 79.68 Section corner, August 8th, 1834

North Between Sections 14 & 15  
 26.12 To @ W. oak 14 in. dia  
 40.00 Set Qu. Sec. post from which  
 @ Hickory 12 in. dia. bears N. 73 1/2 W. 54 lbs. dia.<sup>t</sup>  
 @ W. oak 24 " " " S. 73 1/2 E. 18 " "  
 67.20 To @ Hickory 12 " "  
 80.00 Set post cor. to Sec. 10, 11, 14 & 15 from which  
 @ W. oak 12 in. dia. bears S. 14 E. 63 lbs. dia.<sup>t</sup>  
 @ Hickory 10 " " " N. 41 W. 10 7 " "  
 S. 1/2 W. oak opening good Timber N. 1/2 W. oak  
 & Hickory bearing Rough,

East on Random between Sec. 11 & 14  
 79.78 Antiseck N. & S. line 7 lbs. North of post, high  
 W. oak Ridge Antisepared with dense Hogle  
 Thickets & Marshes

West Corner line between Sec. 11 & 14  
 39.86 Set Qu. Sec. post on point of Ridge from which  
 @ W. oak 10 in. dia. bears N. 33 W. 61 lbs. dia.<sup>t</sup>  
 @ " Do 14 " " " S. 1 1/2 E. 49 " "  
 79.78 Section corner,

North Between Sections 10 & 11  
 2.00 Enter first rate prairie  
 40.00 Set Dr. Sec. post where raise a mound  
 80.00 Set post cor. to Sec. 2, 3, 10 & 11. No mound or bearing  
 first rate prairie surrounded by fine timber

---

East on Random between Sec. 2 & 11  
 79.87 Intersect N & S. line 15 lbs North of post, land  
 prairie interspersed with marshes

---

West Correct line between Sec. 2 & 11  
 39.98 1/2 Set Dr. Sec. post, where raise a mound  
 79.87 Section corner.

---

North Between Sections 2 & 3  
 40.00 Set Dr. Sec. post where raise a mound  
 79.26 Intersect North Boundary 7 lbs West of post  
 where set post & raise a mound cor. to Sec.  
 2 & 3 Smooth Handsome prairie 1<sup>st</sup> rate,

---

North Between Sections 33 & 34  
 40.00 Set Dr. Sec. post in Edge of Barrens from which  
 p W. oak 16 in. dia bears S. 88 E. 120 lbs. dist.  
 S. oak 24 " " " N. 43 W. 1.61 " "  
 80.00 Set post cor. to Sec. 27, 28, 33 & 34 where raised mound  
 2<sup>nd</sup> rate prairie

---

East on Random between Sec. 27 & 34  
 27.00 Enter barrens  
 40.00 Set Dr. Sec. post in small marsh from which  
 p W. oak 13 in. dia, bears N. 42 W. 2.25 lbs. dist.  
 p " Do 16 " " " S. 40 W. 1.95 " "  
 56.50 Intersect Lake Shore where set meandering  
 post on Margin of Lake in marsh cor. to  
 each Sec. 27 & 34

---

West Correct line between Sec. 27 & 34

T. 34 N. — R. 9 W. 2<sup>nd</sup> Sec. Indiana

North Between Sections 27 &amp; 28

40.00 Set Dr. Sec. post where raise a mound

80.00 Set post on to Sec. 21, 22, 27 & 28 where raise a mound  
first rate prairie some small marshes

East on Random between Sec. 22 &amp; 27

20.00 Leave prairie &amp; enter barrens

40.00 Set Dr. Sec. post in marsh no mound no bearings

42.00 Intersect Lake shore on West Margin where set  
Meandering post in marsh Con. to Sec. 22 & 27

West Connect line between Sec. 22 &amp; 27

North Between Sections 21 &amp; 22

5.00 Enter barrens

40.00 Set Dr. Sec. post from which

p Hickory 8 in. dia, bears N. 32 $\frac{1}{2}$  W. 1<sup>st</sup> dist.p Do 10 " " " N. 38 $\frac{1}{2}$  E. " "

50.64 To p Y. Oak 14 in. dia,

80.00 Set post in marsh on to Sec. 15, 16, 21 &amp; 22 from which

p Y. Oak 24 in. dia, bears S. 4 W. 37 $\frac{1}{2}$  1<sup>st</sup> dist.p Y. Oak " " " S. 53 E. 26 $\frac{1}{2}$  " "Fine oak & Hickory Timber Soil 2<sup>nd</sup> rate

East on Random between Sec. 15 &amp; 22

80.26 Intersect N. S. line 5<sup>th</sup> south of post, high  
Ridges, fine timber, Soil 2<sup>nd</sup> rate

West Connect line between Sec. 15 &amp; 22

11.24 To p Y. Oak 10 in. dia,

40.13 Set Dr. Sec. post from which

p Y. Oak bears N. 14 E. 39 1<sup>st</sup> dist.

p " Do 10 in. dia, " S. 10 W. 50 " "

80.26 Section corner,

North Between Sections 15 &amp; 16



- 40.00 Set Dr. Sec. post from which  
 @ Y. oak 16 in. dia. bears S. 35 E. 46 lbs. dist.  
 @ Y. oak 4 " " " N. 74 W. 20 " "  
 72.04 @ Y. oak 12 " "  
 80.00 Set post cor. to Sec. 9, 10, 15 & 16 from which  
 @ Br. oak 8 in. dia. bears N. 29 W. 224 lbs. dist.  
 @ Y. oak 8 " " " N. 70 E. 213 " "  
 oak & Hickory barrens, interspersed with small marshes

---

East on Random between Sec. 10 & 15  
 80.30 Enter sec N. & S. line 4 lbs South of post, Timber & soil  
 same as before

---

West Corner line between Sec. 10 & 15  
 40.15 Set Dr. Sec. post where raise a mound  
 80.30 Section corner, August 10, 1834.

---

North Between Sections 9 & 10  
 12.60 To @ Y. oak 16 in. dia.  
 40.00 Set Dr. Sec. post from which  
 @ Y. oak 14 in. dia. bears S. 67 W. 23 lbs. dist.  
 @ " Do 12 " " " S. 75 1/2 W. 83 " "  
 80.00 Set post cor. to Sec. 3, 4, 9 & 10 from which  
 @ Br. oak 10 in. dia. bears S. 40 1/2 E. 18 lbs. dist.  
 @ " Do 12 " " " S. 75 1/2 W. 83 " "  
 open Barrens 3<sup>rd</sup> rate Soil,

---

East on Random between Sec. 3 & 10  
 10.00 Enter prairie  
 80.25 Enter sec N. & S. line 38 lbs. South of post, have some  
 prairie Soil 2<sup>nd</sup> rate,

---

West Corner line between Sec. 3 & 10  
 40.12 1/2 Set Dr. Sec. post where raise a mound  
 80.25 Section corner,



T. 34 N. — R. 9 W. 2<sup>nd</sup> Mer. Indiana

North Between Sections 3 &amp; 4

- 7.00 Enter prairie  
 10.00 Set Dr. S. e. post where made a mound  
 48.25 Intersect North Boundary 22 lbs West. of post  
 When set post cor. to Sec. 3 & 4. beautiful prairie  
 prairie grass. Rosin weed + Buffalo clover,

North Between Sections 32 &amp; 33

- 40.00 Set Dr. S. e. post where made a mound  
 80.00 Set post in edge of timber cor. to Sec. 28, 29, 32 & 33  
 @ Hickory 8 in. dia. bears N. 77 W. 43 lbs. dist.  
 @ Do 8 " " " S. 35 E. 16 " "  
 Level prairie 2<sup>nd</sup> rate soil, Short grass Rosin weed  
 Bear grass, Buffalo clover &c,

East on Random between Sec. 28 &amp; 33

- 50.25 Intersect N. & S. line North of post 3 lbs, level 2<sup>nd</sup>  
 rate prairie growth same as North line

West Corner of line between Sec. 28 &amp; 33

- 40.12 1/2 Set Dr. S. e. post where made a mound  
 80.25 Section corner,

North Between Sections 28 &amp; 29

- 26.72 To @ W. oak 24 in. dia.  
 40.00 Set Dr. S. e. post from which  
 @ W. oak 18 in. dia. bears S. 79 W. 6 lbs. dist.  
 @ " Do 12 " " " S. 55 E. 1, 68 " "  
 55.91 @ " Do 16 " "  
 80.00 Set post cor. to Sec. 20, 21, 28 & 29 from which  
 @ Hickory 12 in. dia. bears S. 47 E. 40 lbs. dist.  
 @ W. oak 16 " " " N. 69 1/2 W. 90 " "  
 W. oak openings, thin timber poor soil,

East on Random between Sec. 21 &amp; 28

- 30.00 Enter prairie

50.15 Intersect N & S. line 25 lbs. N. of post, W<sup>1</sup>/<sub>2</sub> W. oak  
barrens poor soil 6<sup>1</sup>/<sub>2</sub> level main good soil  
main grip Robin weed Buffalo clover &c.

West Corner et line between Secs, 21 & 28  
40.07 Set Dr. Sec. post where raise a mound  
50.15 Section corner,

North Between Sections 20 & 21  
28.13 To a Double W. oak 24 in. dia.  
40.00 Set Dr. Sec. post from which  
    @ Hickory 14 in. dia. bearing S. 31 W. 77 lbs. dist.  
    @ Do 10 " " " N. 17<sup>1</sup>/<sub>2</sub> W. 18 " "  
63.70 To a W. oak 10 " "  
80.00 Set post on to Secs, 16, 17, 20 & 21 from which  
    @ Br. oak 16 in. dia. bearing S. 62 W. 2, 21 lbs. dist.  
    @ " Do 12 " " " N. 54<sup>1</sup>/<sub>2</sub> E. 207 " "  
Thin W. B. 14 & Br. oak barrens soil poor & level

East on Random between Secs, 16 & 21  
50.15 Intersect N. & South line 5 lbs North of post, W<sup>1</sup>/<sub>2</sub>  
Thin W. oak barrens poor soil 6<sup>1</sup>/<sub>2</sub> oak openings,  
Some good timber soil 2<sup>nd</sup> rate,

West Corner et line between Secs, 16 & 21  
40.07 Set Dr. Sec. post from which  
    @ W. oak 14 in. dia bearing S. 40 W. 17 lbs. dist.  
    @ " Do 20 " " " N. 38 W. 42 " "  
50.15 Section corner, August. 11, 1834

North Between Sections 16 & 17  
40.00 Set Dr. Sec. post in small marsh from which  
    @ Br. oak 16 in. dia. bearing S. 60 E. 152 lbs. dist.  
    + @ Hickory 8 " " " N. 37<sup>1</sup>/<sub>2</sub> E. 102 " "  
51.65 To a Y. oak 14 " " "  
80.00 Set post on to Secs, 9, 8, 17 & 16 from which

*T<sub>34</sub> N<sub>1</sub> B<sub>9</sub> W<sub>2</sub> Sec. Indiana*

East  
 @ W. Oak 12 in. dia. bears S. 5 E. 140 lbs dist.  
 @ B. Oak 8 " " " S. 35 W. 229 " "  
 Poor Very Poor thin all barrens

East on Random between Sec. 9 & 16  
 80.10 Intersect N. & S. line 4 lbs. South of post, line  
 similar to N. line somewhat broken,

West correct line between Sec. 9 & 16  
 40.05 Set Dr. Sec. post in small marsh from which  
 @ Br. Oak 10 in. dia. bears N. 35 E. 142 lbs dist.  
 no other  
 80.10 Section corner,

North Between Sections 8 & 9  
 40.00 Set Dr. Sec. post from which  
 @ Y. Oak 6 in. dia. bears S. 79 W. 29 lbs. dist.  
 @ " Do 10 " " " N. 53 E. 56 " "  
 80.00 Set post on. to Sec. 4, 5, 8 & 9 from which  
 @ Br. Oak 14 in. dia. bears S. 21 W. 6, 35 lbs. dist.  
 @ Y. Oak 16 " " " S. 2 1/2 E. 5, 45 " "  
 Very poor Bushy Barrens Interspersed with  
 small marshes

East on Random between Sec. 4 & 9  
 80.25 Intersect N. & South line 3 lbs. South of post, poor  
 Gravelly Broken Barrens only a few scattering  
 bushes. Interspersed with small marshes covered  
 with a heavy coat of Wild Rice &c,

West correct line between Sec. 4 & 9  
 40.12 1/2 Set Dr. Sec. post from which  
 @ Br. Oak 4 in. dia. bears N. 36 E. 164 lbs. dist.  
 @ " Do 3 " " " S. 46 E. 93 " "  
 80.25 Section corner,

19

S. 34 N. - R. 9 W. 2nd Mer. Indiana

North Between Sections 4 & 5

4.00 Enter Marsh Water from 10 in to 3 feet deep  
 40.00 Set Dr. Sec. post in marsh  
 78.30 Antwood North Boundary 39 Mo. West of post, where  
 Set post & make a mound en. to S. of, 4 & 5  
 the whole line Marsh of the Shady kind a heavy  
 crop grass Wild Rice flag & Rushes,

North Between Sections 31 & 32

210.00 Set Dr. Sec. post from which  
 @ W. oak 20 in. dia. head N. 41 W. 2.49 Mo. dist.  
 no other near,  
 80.00 Set post in marsh en. to S. of, 29, 30, 31 & 32,  
 Broken Hickory Barrens, Antispruce with man-  
 shed poor soil from which  
 @ W. oak 18 in. dia. head S. 33 E. 2.70 Mo. dist.  
 @ Hickory 12 " " " N. 78 1/2 E. 2.86 " "

East on Random between S. of, 29 & 32

79.75 Antispruce N. of line 14 Mo. N. of post, oak opening  
 good Timber Broken poor Soil,

West Corner of line between S. of, 29 & 32

15.10 To @ W. oak 8 in. dia.  
 23.65 " @ " 18 " "  
 39.87 1/2 Set Dr. Sec. post from which  
 @ Hickory 7 in. dia. head N. 14 W. 14 Mo. dist.  
 @ W. oak 14 " " " S. 69 E. 18 " "  
 79.75 Section Corner, August 12, 1834,

North Between Sections 29 & 30

20.00 Enter Marsh  
 40.00 Set Dr. Sec. post in Marsh no mound nor bearing  
 65.00 Leave Marsh  
 80.00 Set post en. to S. of, 19, 20, 29 & 30 from which  
 @ W. oak 6 in. dia. head S. 38 E. 78 Mo. dist.  
 @ Hickory 8 " " " N. 8 W. 145 " "

## T. 34 N. R. 9 W. 2nd Mer. Indiana

E. Sho.  $3\frac{1}{4}$  Marsh with a heavy crop of Morning grass,  
 & Wild rice from 5 to 10 feet high  $N\frac{1}{4}$  broken  
 Barrens,

East on Random between Sec. 20 & 29

79.70 Intersect N. & South line at post. fine oak &  
 Hickory Timber, broken poor Soil

West Bypass line back between Sec. 20 & 29

30.06 To @ Hickory 8 in. dia,

39.85 Set Dr. Sec. post from which

@ B. Oak 24 in. dia, bears S. 69 E. 75 lks. dist.

@ Hickory 8 " " " N.  $74\frac{1}{2}$  W. 44 " "

46.08 To @ W. Oak 18 " "

79.70 Section corner,

North Between Sections 19 & 20.

6.00 Enter Marsh

40.00 Set Dr. Sec. post in Marsh no mound no bearings

50.00 Set post cor. to Sec. 17, 18, 19 & 20 in Marsh no  
 mound no bearings, the entire line Marsh  
 @ heavy crop of tall grass hung together with  
 pea vines Wild rice from 5 to 10 feet high

East on Random between Sec. 17 & 20

10.00 Leave Marsh

11.50 To @ Spring Brook 5 lks wide cross W. into creek  
 in marsh

79.70 Intersect N. & South line 15 lks. South of post  
 $N\frac{1}{4}$  Marsh & Barrens Knobs Rough & Bumpy  
 E.  $3\frac{1}{4}$  fine W. & B. Oak Timber

West Correct line between Sec. 17 & 20

39.85 Set Dr. Sec. post from which

@ W. Oak 24 in. dia, bears S. 89 E. 18 lks. dist.

@ " Do 16 " " " S. 43 W. 41 " "

79.70 To Sec. corner.



27

J. 34 N. R. 9 W. 2<sup>nd</sup> Mer. Indiana

North Between Sections 17 & 18  
 25.00 Leave Marsh  
 35.00 Enter prairie  
 40.00 Set Dr. Sec. post in mound.  
 80.00 Set post cor. to Sec. 7, 8, 17 & 18 when raise a mound  
 1/2 Shaky Marsh, 1/2 prairie & Marsh, prairie  
 broken. Soil 2<sup>nd</sup> rate,

---

East on Random between Sec. 8 & 17  
 18.00 Enter Shaky Marsh  
 38.00 Leave " do & enter barrens  
 79.65 Intersect N. & South line 16 lms North of post, 1/2  
 broken prairie & Marsh, 1/2 barrens & small marshes

---

West Correct line between Sec. 8 & 17  
 39.87 1/2 Set Dr. Sec. post on point of barrens from which  
 to Br. Oak in dia. bears S. 8 1/2 E. 1.19 lms. dist.  
 to Br. Oak 3 " " N. 61 W. 60 " "  
 79.65 Section corner,

---

North Between Sections 7 & 8  
 40.00 Set Dr. Sec. post when raise a mound  
 80.00 Set post cor. to Sec. 5, 6, 7 & 8 when raise a mound  
 high rolling prairie. Interspersed with marshes.  
 Soil 2<sup>nd</sup> rate,

---

East on Random between Sec. 5 & 8  
 39.00 Enter Shaky Marsh  
 64.00 Leave " "  
 79.60 Intersect N. & South line 40 lms North of post  
 11 1/2 prairie & rolling 2<sup>nd</sup> rate Soil. 8 1/2 marsh  
 of the Shaky kind & broken barrens,  
 64.00 Enter Marsh

---

West Correct line between Sec. 5 & 8  
 39.50 Set Dr. Sec. post in marsh no mound nor barrens  
 79.60 Section corner, August 13, 1834



Ch. 34 N. B. 9 W. 2 R. 20, Sec. 30, Indiana

North Between Sections 5 & 6

110.00 Set Dr. Sec. post where raise a mound

60.00 Enter barrens

78.31 Intersect North Boundary 11 lks West of post

Where set post on to Sec. 5 & 6 from which

W. Oak 12 in. dia. bears N.  $3\frac{1}{2}$  W. 3.63 lks. dist.  
 & a Hickory 10 " " " S.  $10\frac{1}{2}$  E,  
 $S\frac{1}{2}$  high rolling prairie. N.  $\frac{1}{2}$  poor barrens & marsh

West on Random between Sec. 30 & 31

5.00 Enter Marsh

13.00 To @ Creek 15 lks wide course South, deep & sluggish

60.00 Enter prairie, high & dry, Sec. 30, rate soil

77.64 Intersect West Boundary 43 lks S. of post East  $\frac{1}{2}$  Marsh & barrens, W.  $\frac{1}{2}$  marked Sec. 30 & 31 on post

East Corner line between Sec. 30 & 31

38.14 Set Dr. Sec. post from which

@ Y. Oak 18 in. dia. bears N. 21 W. 1.10 lks. dist.

77.64 Section Corner,

West on Random between Sec. 19 & 30

2.00 Enter Marsh

12.00 To @ Creek 60 lks. wide est. being named by  
 a map of Vegetation

67.50 Enter prairie

77.58 Intersect W. Boundary at post, E.  $\frac{1}{2}$  Marsh &  
 broken rough barrens, abounding with Springs &  
 Spring brooks. W.  $\frac{1}{2}$  fine W. oak timber & high  
 dry prairie, marked Sec. 19 & 30 on post,

East Corner line between Sec. 19 & 30

37.58 Set Dr. Sec. post in Prairie from which

@ W. Oak 6 in. dia. bears N. 1 W. 1.10 lks. dist.

@ Red Oak 4 " " " S. 54 E, 98 " "

77.58 Section Corner,

West on Random between Sec, 18 & 19  
 14.00 To a creek 30 lbs. wide cro S. deep & sluggish  
 30.00 Lead marsh  
 45.00 Enter prairie high & rolling, 2<sup>nd</sup> rate soil  
 77.48 Intersect West Boundary 38 lbs North of post Marshall  
 Sec. 18 & 19 on the post

---

East Corner between Sec, 18 & 19  
 37.48 Set 2<sup>nd</sup> Sec. post from which  
 to Wm Oak 18 in. dia bearing S. 89 69 lbs. dist.  
 no other  
 77.48 Section corner,

---

West on Random between Sec, 7 & 18  
 48.01 Intersect West Boundary 15 lbs North of post,  
 make a Sec, 7 & 18 on the post in marsh, high  
 rolling prairie with interspersed marshes under to  
 a considerable depth

---

East Corner line between Sec, 7 & 18  
 38.01 Set 2<sup>nd</sup> Sec. post where raise a mound  
 78.01 Section corner, August 14<sup>th</sup>, 1834

---

West Random between Sec, 6 & 7  
 48.30 Intersect West Boundary 35 lbs N. of post;  
 high rolling prairie, interspersed with marshes  
 2<sup>nd</sup> rate soil. marked Sec, 6 & 7 on post in  
 mound

---

East Corner line between Sec, 6 & 7  
 38.30 Set 2<sup>nd</sup> Sec. post where raise a mound  
 48.38 Section corner, August 15<sup>th</sup>, 1834

---

(Meadows of Clear Lake. Beginning at Wm. Oak post, at  
 margin of Lake in line between Sec, 34 & 35  
 Thence

T. 34 N. R. 9 W. 2<sup>nd</sup> Mer. Indiana

Course	Length	Remarks of Clear Lake
N. 60 E.	10.00	In Sec. 35
N. 31 E.	8.00	
N. 22 E.	10.00	
N. 3 E.	15.00	
N. 11 W.	6.00	
N. 31 W.	6.00	
N. 44 W.	1.00	To Meander post in line on E. Margin of Lake between Sec. 26 & 35
N. 50 E.	11.00	In Sec. 26
N. 19 E.	3.00	
N. 67 E.	5.00	
N. 53 E.	12.00	
N. 38 E.	5.00	
N. 16 E.	10.00	
N. 6 W.	10.00	
N. 19 E.	15.00	
N. 45 E.	5.00	
N. 77 E.	3.00	
N. 4 W.	8.00	
N. 18 W.	6.00	
N. 8 E.	5.00	To post in line between Sec. 23 & 26
N. 21 W.	1.00	In Sec. 23
N. 2 W.	9.00	
N. 24 W.	14.00	
N. 40 W.	6.00	
N. 52 W.	12.00	
N. 69 W.	10.00	
N. 77 W.	4.00	To Drake's post in line between Sec. 22 & 23 at North extremity of Lake
N. 88 W.	10.00	from post at N. extremity of Lake. thence In Sec 22
S. 75 W.	5.00	

25

T. 34 N. - R. 9 W. 2<sup>nd</sup> Mer. Indiana

Course	Length	Remarks
S. 43 W.	17.00	Meander continued
S. 12 W.	9.00	
S. 30 W.	13.00	
S. 41 W.	8.35	
		To Dr. Sec. post in E. & W. line between Secs 22 & 27 on W. Margin of Lake
		from post on W. Margin of Lake thence
S. 33 W.	12.00	In Sec. 27
S. 12 E.	4.00	
S. 2 E.	5.00	
S. 23 E.	17.00	
S. 56 E.	4.00	
S. 35 E.	11.00	
S. 10 E.	21.00	
South	4.00	
S. 3 W.	4.13	To post on Margin of Lake in E & W. line between Secs 27 & 34
		from post in line between Secs 27 & 34
S. 19 W.	13.00	In Sec. 34
S. 36 W.	12.00	
S. 19 E.	11.00	
South	12.00	
S. 67 E.	9.00	
S. 84 E.	12.00	
N. 87 E.	5.00	
N. 85 E.	6.23	To Meandering post the place of beginning between Secs 34 & 35
		August 17 <sup>th</sup> 1834

I hereby certify that in pursuance of a contract made with Mr. J. Williams Surveyor General of the United States for the State of Ohio & Indiana & the Territory of Michigan bearing date the 23<sup>rd</sup> of April 1834 & in strict conformity to the

T. 34 N. R. 9 W. 2<sup>nd</sup> Mer. Indiana

Laws of the United States & the instructions of S<sup>r</sup>  
Surveyor General & Surveyor are subdivided  
into Sections T. 34 North Range 9 West in the  
State of Indiana. I do further certify that  
the foregoing are the true & original field notes  
of said Survey & Subdivision, executed as aforesaid  
Certified this 17<sup>th</sup> day of August 1834

A. Burnside, Dep<sup>t</sup>. Surveyor,

Seth May }  
Rich<sup>d</sup>. Harris } chainmen  
James Hines } Marker  
David McLean } Flagman

I certify that the foregoing transcript of  
field notes of Township 34 North, Range  
9 West, 2<sup>nd</sup> Meridian, in the state of  
Indiana, has been compared with the  
original in this office & found to be  
correct.

William Johnston  
S<sup>r</sup>. Genl.

Surveyor General's office  
Cincinnati. Dec<sup>r</sup> 1<sup>st</sup> 1842.